



2026

Fence Strips & Privacy Mats

Product Catalogue
www.kamai.eu



Why choose PROTECTO?


At first glance, most fence strips may look similar. But all it takes is to bend them, touch them, and examine the structure. PROTECTO is the choice for businesses seeking real quality — not empty promises. **Our strips are made in Poland from certified PP copolymer, without any fillers or recycle.** The result? A material that won't crack, fade, or deform. **That's why we confidently offer a 10-year warranty.**



PROTECTO Technology – Quality Proven Over Time

We use only certified PP-C copolymer. **Each strip is mass-dyed – which means the color won't scratch or fade.** A weight of 550 to 790 g/m² and thickness up to 1.65 mm ensure outstanding stiffness, strength, and flexibility in all conditions. **UV stabilizers (industrial grade)** guarantee resistance to sun, snow, and frost.

- Production compliant with ISO 9001 / ISO 14001
- Certified by the Polish National Institute of Hygiene (PZH)
- Fully REACH compliant (Regulation No. 1907/2006)
- Safe for people, animals, and the environment



Ideal for Projects Where Durability and Appearance Matter Most

- **Extra stiff and thick** – keeps its shape, won't flap or peel off the fence
- **Deep, long-lasting color** – doesn't fade even after many seasons
- **Full resistance to sunlight, wind, snow, and frost**
- **Premium finish** – modern, elegant texture
- **Perfect for panel fencing, gardens, and balcony screening**
- **Made in Poland from certified PP copolymer**



Learn more







A Proven Solution for All Types of Fencing

PROTECTO PREMIUM fence strips are chosen by professionals who value durability, aesthetics, and peace of mind during installation — without compromise. **This is a solution that works equally well for individual projects and large-scale developments.** Thanks to a wide range of textures, colors, and thicknesses — and a 10-year warranty — PROTECTO offers a perfect fit for diverse fencing applications.

Top Use Cases:

- ✓ **Balcony and terrace panels** – stylish and practical screening for urban architecture
- ✓ **Industrial fencing** – resistant to weather, durable with no need for maintenance
- ✓ **Construction and renovation sites** – quick installation and reusable coverage
- ✓ **Private plots and gardens** – easy to install, long-lasting privacy and tidiness



Increase Your Sales with PROTECTO Fence Strips

Adding PROTECTO strips to your product portfolio is a simple and effective way to stand out from the competition. **Buyers are increasingly looking for durable, aesthetic, and hassle-free solutions** – rather than temporary substitutes that need to be replaced after just two seasons.

PROTECTO PREMIUM attracts conscious customers: investors, installers, garden designers, developers, and property owners who value long-term solutions and don't want to deal with complaints or an unprofessional appearance.

What You Gain by Offering PROTECTO:

- Higher average basket value (a premium product = higher margins)
- Fewer returns and complaints (lower customer service costs)
- Faster sales with simple and powerful arguments: “10-year warranty,” “doesn’t crack or fade”
- A real competitive edge in a segment dominated by low-quality PVC imports

This is more than just a product – it’s proof that you know how to sell. And your customers will notice the difference.



Why PROTECTO Strips Don't Crack or Fade


- We use certified **PP copolymer**, optimized for elasticity and impact resistance → no cracking when bent.
- Material weight up to **790 g/m²** and thickness **up to 1.65 mm** → ensures structural stiffness and mass without compromising flexibility.
- Made from pure, contaminant-free material and manufactured in the EU = **homogeneous structure with no internal stress points**.
- **Mass-colored + industrial-grade UV stabilizers** – the color does not fade even after 5–8 seasons of use.



Key Advantages of PROTECTO Fence Strips

- ✓ High rigidity – no waving, sagging, or deformation
- ✓ Intense, fade-resistant color (mass-colored)
- ✓ Heavy-duty weight and thickness – durable even in tough conditions
- ✓ Produced in Poland – certified by REACH and PZH
- ✓ Recommended for both private and large-scale development projects
- ✓ No maintenance required – no protective coatings or treatments needed
- ✓ Homogeneous structure – no microcracks or “whitening” effect, even after repeated bending

A Wide Range of Textures and Colours Available



Basic



Orange



Classic



Smart

Available colours:




CUT-TO-SIZE STRIPS

BASIC SERIES



Colour: RAL6005

1 package: 6 tape strips
6 strips cover: 1 standard fence panel
1 strip: 19 × 255 cm
Weight: 550–570 g/m²
Structure: double-sided
Texture: Basic
Courier box: 6 packages
Courier pallet: 144 packages



Colour: RAL7040


1 package: 6 tape strips
6 strips cover: 1 standard fence panel
1 strip: 19 × 255 cm
Weight: 550–570 g/m²
Structure: double-sided
Texture: Basic
Courier box: 6 packages
Courier pallet: 144 packages



Colour: RAL7016

1 package: 6 tape strips
6 strips cover: 1 standard fence panel
1 strip: 19 × 255 cm
Weight: 550–570 g/m²
Structure: double-sided
Texture: Basic
Courier box: 6 packages
Courier pallet: 144 packages

SMART SERIES




Colour: RAL6005

1 package: 6 tape strips
6 strips cover: 1 standard fence panel
1 strip: 19 × 255 cm
Weight: 550–570 g/m²
Structure: double-sided
Texture: Smart
Courier box: 6 packages
Courier pallet: 144 packages



Colour: RAL7040

1 package: 6 tape strips
6 strips cover: 1 standard fence panel
1 strip: 19 × 255 cm
Weight: 550–570 g/m²
Structure: double-sided
Texture: Smart
Courier box: 6 packages
Courier pallet: 144 packages



Colour: RAL7016

1 package: 6 tape strips
6 strips cover: 1 standard fence panel
1 strip: 19 × 255 cm
Weight: 550–570 g/m²
Structure: double-sided
Texture: Smart
Courier box: 6 packages
Courier pallet: 144 packages

ORANGE SERIES



Colour: RAL6005

1 package: 6 tape strips
6 strips cover: 1 standard fence panel
1 strip: 19 × 255 cm
Weight: 550–570 g/m²
Structure: double-sided
Texture: Orange
Courier box: 6 packages
Courier pallet: 144 packages



Colour: RAL7040

1 package: 6 tape strips
6 strips cover: 1 standard fence panel
1 strip: 19 × 255 cm
Weight: 550–570 g/m²
Structure: double-sided
Texture: Orange
Courier box: 6 packages
Courier pallet: 144 packages



Colour: RAL7016

1 package: 6 tape strips
6 strips cover: 1 standard fence panel
1 strip: 19 × 255 cm
Weight: 550–570 g/m²
Structure: double-sided
Texture: Orange
Courier box: 6 packages
Courier pallet: 144 packages

ROLL

BASIC SERIES




Colour: RAL6005

1 package: 1 roll (26 linear meters)
1 roll: 26 lm = 5 m²
1 roll dimensions: 19 cm × 26 m
Grammage: 550-570 g/m²
Structure: double-sided
Texture: Basic
Shipping carton: 6 packages
Pallet load: 144 packages



Colour: RAL7040

1 package: 1 roll (26 linear meters)
1 roll: 26 lm = 5 m²
1 roll dimensions: 19 cm × 26 m
Grammage: 550-570 g/m²
Structure: double-sided
Texture: Basic
Shipping carton: 6 packages
Pallet load: 144 packages



Colour: RAL7016

1 package: 1 roll (26 linear meters)
1 roll: 26 lm = 5 m²
1 roll dimensions: 19 cm × 26 m
Grammage: 550-570 g/m²
Structure: double-sided
Texture: Basic
Shipping carton: 6 packages
Pallet load: 144 packages

SMART SERIES



Colour: RAL6005

1 package: 1 roll (26 linear meters)
1 roll: 26 lm = 5 m²
1 roll dimensions: 19 cm × 26 m
Grammage: 550-570 g/m²
Structure: double-sided
Texture: Smart
Shipping carton: 6 packages
Pallet load: 144 packages



Colour: RAL7040

1 package: 1 roll (26 linear meters)
1 roll: 26 lm = 5 m²
1 roll dimensions: 19 cm × 26 m
Grammage: 550-570 g/m²
Structure: double-sided
Texture: Smart
Shipping carton: 6 packages
Pallet load: 144 packages



Colour: RAL7016

1 package: 1 roll (26 linear meters)
1 roll: 26 lm = 5 m²
1 roll dimensions: 19 cm × 26 m
Grammage: 550-570 g/m²
Structure: double-sided
Texture: Smart
Shipping carton: 6 packages
Pallet load: 144 packages

ORANGE SERIES



Colour: RAL6005

1 package: 1 roll (26 linear meters)
1 roll: 26 lm = 5 m²
1 roll dimensions: 19 cm × 26 m
Grammage: 550-570 g/m²
Structure: double-sided
Texture: Orange
Shipping carton: 6 packages
Pallet load: 144 packages



Colour: RAL7040

1 package: 1 roll (26 linear meters)
1 roll: 26 lm = 5 m²
1 roll dimensions: 19 cm × 26 m
Grammage: 550-570 g/m²
Structure: double-sided
Texture: Orange
Shipping carton: 6 packages
Pallet load: 144 packages




Colour: RAL7016

1 package: 1 roll (26 linear meters)
1 roll: 26 lm = 5 m²
1 roll dimensions: 19 cm × 26 m
Grammage: 550-570 g/m²
Structure: double-sided
Texture: Orange
Shipping carton: 6 packages
Pallet load: 144 packages

ROLL

CLASSIC SERIES




Colour: RAL6005

1 package: 1 roll (26 linear meters)
1 roll: 26 lm = 5 m²
1 roll dimensions: 19 cm × 26 m
Grammage: 550-570 g/m²
Structure: double-sided
Texture: Classic
Shipping carton: 6 packages
Pallet load: 144 packages



Colour: RAL7040

1 opakowanie: 1 rolka 26mb
1 rolka: 26mb = 5m²
1 rolka: 19x26 m
Gramatura: 550-570gr/m²
Struktura: dwustronna
Tekstura: Classic
Paczka kurierska: 6 opakowań
Paleta kurierska: 144 opakowań



Colour: RAL7016

1 opakowanie: 1 rolka 26mb
1 rolka: 26mb = 5m²
1 rolka: 19x26 m
Gramatura: 550-570gr/m²
Struktura: dwustronna
Tekstura: Classic
Paczka kurierska: 6 opakowań
Paleta kurierska: 144 opakowań




Why can we offer a 10-year warranty?

Because our product is truly built to last. **PROTECTO tapes are manufactured in Poland from certified PP-C copolymer, with no additives, recyclates, or cheap fillers.** They do not crack when bent, do not warp under temperature changes, and retain their shape even after years of use.

The color is not applied to the surface – it is **dyed in mass and additionally protected with industrial-grade UV stabilizers**, ensuring that it does not fade or wear off. High density (up to 790 g/m²) and a thickness of up to 1.65 mm ensure real resistance to wind, snow, sunlight, and frost.

Thanks to the homogeneous structure, the material is free from internal stress – there are no microcracks or “whitening” effects. These are not just claims – these are proven facts that contribute to the long-lasting durability of the product.



Top Quality



Easy & Fast
Installation



Color
Durability



Frost Resistant



UV Resistant



Maintenance
Free

PROTECTO PREMIUM – same quality, different installation formats

We offer PROTECTO PREMIUM tapes in two convenient formats: **a full roll (26 m) or factory-cut strips (6 pcs × 2.55 m = 15.3 m). Both variants use the same certified PP-C material with identical technical parameters, structure, and a 10-year warranty;** the only difference is the packaging format, so customers choose based on their needs and preferred installation speed.

Factory-cut strips are a ready-to-use solution for standard fence panels; no measuring, cutting, or material waste. Each pack contains six strips, 2.55 m each (totaling 15.3 m), enough to fill one fence span; **six matching installation clips (in graphite, gray, or green) are included.**

The full roll (26 m) suits those who prefer to cut the tape to custom lengths; this format offers maximum flexibility for non-standard dimensions or bespoke projects.



CUT INTO STRIPS – READY TO INSTALL

- ✓ 6 pasków po 2,55 mb = 15,3 mb
- ✓ szerokość: 19 cm
- ✓ grubość: do 1,65 mm
- ✓ gramatura: do 790 g/m²
- ✓ dołączone klipsy w zestawie (6 szt.)
- ✓ idealne dopasowanie do przęsła 250 cm
- ✓ brak odpadów, szybki montaż



FULL ROLL – CUT TO SIZE

- ✓ length: 26 m
- ✓ width: 19 cm
- ✓ thickness: up to 1.65 mm
- ✓ weight: up to 790 g/m²
- ✓ can be cut to any length
- ✓ ideal for non-standard dimensions
- ✓ same material as strips – 100% PP-C

PROTECTO FULL TAPE ROLL



Why choose PROTECTO tape in roll form?

- Enables cutting to any length, regardless of fence type;
- Fast installation; simply measure, cut, and attach without specialized tools;
- One roll = 26 m of tape; enough for several standard panels;
- Available colors: graphite (RAL 7016), gray (RAL 7040), green (RAL 6005);
- BASIC, SMART, CLASSIC lines differ in weight and thickness; same effect and quality.

Available in a wide range of colors and textures



Installation in 3 simple steps

1
Measure



2
Cut



3
Attach



Additionally,
customers can use
clips to better secure
the tape to the fence



* Clips must be purchased separately;
they are not included in the kit.

PROTECTO READY-MADE STRIPS




Why choose PROTECTO™ tape in pre-cut strips?

- **No measuring or cutting;** strips are cut to the optimal length to fit standard fence panels (6 pcs × 2.55 m)
- **Ready for installation right out of the box;** simply weave through the panel
- **Clips included;** enable quick and secure tape attachment
- **One pack = one panel span;** ideal solution for contractors and retail customers
- **Available in colors:** graphite, gray, green (RAL 7016, RAL 7040, RAL 6005); offered in BASIC, SMART, and CLASSIC variants



6 strips = 1 panel section



Available in a wide range of colors and textures



PROTECTO READY-MADE STRIPS INSTALLATION



Set of 6 ready-made strips of PROTECTO™ garden fence tape



Installation requires no
specialized tools




Thanks to the use of clips,
the tape's attachment is
even more secure



PP tape
non-genuine

**2-Year
Warranty**

PP Tape
original PROTECTO™




DISCOVER THE DIFFERENCE IN QUALITY!

PROTECTO™ – microcrack-free structure, retains its shape even after bending



Non-genuine tape – low elastic modulus, permanent deformation and discoloration



Why does genuine PROTECTO tape look better—even after bending?

Counterfeits are often made from low-quality homopolymers or regrind mixed with fillers; they fail to deliver a stable material structure. As a result, once bent the tape won't spring back; it stays wavy, cracks, or develops micro-fissures, the so-called "whitening" effect.

Genuine **PROTECTO PREMIUM** tape is produced from a certified **PP-C** copolymer that combines high impact resistance with structural flexibility. **Even after severe bending, it retains its original geometry without creasing.** Furthermore, the absence of fillers and a stress-free, uniform structure prevent cracking or deformation; this holds true regardless of temperature fluctuations, UV exposure, or moisture.

Ultimately, it's the difference in raw materials, manufacturing technology, and quality control that determines whether tape still looks flawless after a year; or only for a few moments post-installation.

PVC Tape


(polyvinyl chloride)

2-Year
Warranty



PP Tape

(polypropylene)



Why does PVC bend, while PROTECTO tape made of PP holds its shape?

PVC has a low elastic modulus and high susceptibility to deformation—once bent, it retains that altered shape. It's also thermoplastic: in heat it softens, and in cold it becomes brittle, leading to cracks and warping. By contrast, PROTECTO PREMIUM is made from a PP copolymer (PP-C) that combines high impact resistance with structural flexibility. This allows the tape to spring back to its original form after bending, without creasing or deforming—even after many seasons of use.

TAŚMA OGRODZENIOWA PREMIUM

PROTECTO™
taśmy i maty ogrodzeniowe

PROSTY MONTAŻ

- Najwyższa jakość
- Odporna na rzeź
- Trwałość koloru
- Nie wymaga konserwacji
- Odporna na promienie UV
- Łatwy i szybki montaż



1. Rozciągnięcie taśmy Protecto na panelu ogrodzeniowym.



2. Taśma natychmiast wchodzi się i przylega do panelu, możemy bezpiecznie zamocować kłosa.



3. Możemy włożyć z taśmą Protecto i bezpiecznie zamocować kłosa.



Displays

Discover a complete solution for selling fencing tapes in retail outlets.






outdoor display



80x60x140 cm



outdoor display

80x60x140 cm



internal display
for tape cut into strips

80x60x80 cm



internal display
for tape in running meters

80x60x80 cm





Get to know us better

For more than 20 years, we've specialized in the wholesale distribution of products for home, garden, camping, and leisure. Our seasonal assortment includes Christmas, Easter, and summer collections. With modern logistics and reliable processes, we offer attractive margins, fast delivery, and flexible terms of cooperation.

Our portfolio includes proprietary brands well-known to customers in Poland – such as Christmas tree stands, garden fence tapes, coolboxes, and torch oils. We are also an official distributor of leading European brands including CADAC, BO-CAMP, Thetford, and DOMETIC.

For more information, visit:


www.kamai.pl – company information

www.kamai.eu – wholesale online store

Our brands

More information: www.kamai.eu/nasze-marki





PROTECTO™

kamai.

Contact details

Kamai.pl Sp. z o. o.
Wola Batorska 1018
32-007 Zabierzów Bocheński
biuro@kamai.pl
tel: +48 12 635 10 82
kom: +48 536 012 601

